

Humber College Pre-Placement Requirements Funeral Service Education Students Mandatory Medical Requirements

The information you provide is confidential. It is intended for use by the Humber College Office of Experiential Learning in order to ensure that the student meets the immunization requirements for placement.

Students: After all pre-placement requirements are complete, book an appointment for your pre-placement clearance via this link: humberhealth.mywconline.com

First Name: _____ Last Name: _____

Student ID #: _____ Contact # _____

E-Mail: _____

Health Care Provider (HCP): Complete entire form

Mandatory Medical Requirements

1) Tuberculosis (TB)

- A two-step Tuberculin Skin Test is required only once in your lifetime if properly performed and documented and MUST be presented at initial placement prerequisites clearance appointment. STEP 1 and STEP 2 MUST be 7 to 28 days apart.
- A TB Skin Test (EITHER a two-step - if you have never had a two-step OR a one-step - if you have had a documented two-step) is required 12 months within the start of your September semester.
- If the student has a documented history of a negative TB Skin Test that is more than 12 months old, then the student MUST have a Single-Step TB Skin Test.
- If the student has a documented history of a previous positive TB Skin Test (induration measuring equal to or greater than 10mm) or Active TB, a TB Skin Test is NOT REQUIRED. Proceed to Chest X-Ray and Chest Assessment.

TB Test	Vaccine Name	Date Given	Site/ Route/ Dose	Date Read (48-72 Hours from Test)	Result: Indurations in (mm)	HCP Initial
STEP 1		mm/dd/yy		mm/dd/yy		
STEP 2 (7-28 days after Step 1)		mm/dd/yy		mm/dd/yy		

* If either TB Skin Test Step is positive (equal to or greater than 10 mm induration), please evaluate as follows *

- CHEST X-RAY: **Only After First Positive Skin Test** – Attach a copy of chest x-ray results - MANDATORY

CHEST X-Ray Date	CHEST X-RAY Results	INH Treatment Prescribed (Yes or No)
mm/dd/yy		

CHEST ASSESSMENT: Students with a positive TB Skin Test must have a Chest X-Ray, and if the chest xray is more than 12 months old then they **MUST** have their HCP assess their chest and document that they are free from TB signs and symptoms and that the student does not have active TB:

CHEST Assessment Date	CHEST Assessment Results (Negative= no symptoms of TB) (Positive= symptoms of TB)	HCP Initial
mm/dd/yy		

Immunization Records & Laboratory Blood Tests Required

A copy of your immunization record is required. NOTE: Any TB testing should be completed at least 4 weeks before or after any vaccinations.

2) Tetanus / Diphtheria / Pertussis (Tdap)

- If the student has not received Pertussis as an adolescent (Age 14 +) or adult, they require one Adacel Vaccination. Even if you have a current dose of Tetanus/Diphtheria (T/d) in the last 10 years you will need one dose of Adacel in adulthood. A T/d booster is required every 10 years.

Immunization	Vaccine Name	Date Given	Site/Route/Dose	HCP Initial
Tetanus/Diphtheria/Pertussis (ADACEL - Age equal to or greater than 14 Years)		mm/dd/yy		
Tetanus/Diphtheria (T/d) (Every 10 Years)		mm/dd/yy		

3) Hepatitis B (HB)

- Initial laboratory blood tests for Hepatitis B Antibodies (HBsAb) and Hepatitis B Antigen (HBsAg) results are mandatory.
- Documented proof is required if you have received 2 doses of Hepatitis B in grade 7 or 3 doses of Hepatitis B as an adult.
- If blood work results show the student is not immune after the two elementary school - grade 7 vaccine doses or 3 adult doses, then a Hepatitis B Booster is required; and the student **MUST** follow-up with a blood test for HBsAb and HBsAg after 4-6 weeks to check immunity.
- If blood work results show the student is not immune and there is no history of vaccination with Hepatitis B, then 3 Hepatitis B vaccines are required; and the student **MUST** follow-up with a blood test for HBsAb and HBsAg after 4-6 weeks following the 3rd vaccine to check immunity.

- If the student is still not immune to Hepatitis B after the Booster, the student is required to complete the 2nd series – 2 more Hepatitis B vaccines; and the student MUST follow-up with a blood test 4-6 weeks after the second full series to check immunity.
 - At least 2 of 3 doses of the Regular Series Hepatitis B vaccine, OR at least 3 of 4 of the Rapid Schedule Hepatitis B vaccine, OR proof of immunity are required to begin placement.
 - Hepatitis B **Regular** Vaccination Schedule: 0 Month, 1 Month, 6 Months or **Rapid** Vaccination Schedule: 0 Day, 7 Days, 21 Days, 12 Months
- Attach a copy of HEPATITIS B (HBsAb) and (HBsAg) blood test results – MANDATORY

Vaccine Name: (Recombivax HB, Engerix B or Twinrix)	Date Given	Site/Route/Dose	HCP Initial
Name:	mm/dd/yy		
Name:	mm/dd/yy		
Name:	mm/dd/yy		

Vaccine Name: (Recombivax HB, Engerix B or Twinrix)	Date Given BOOSTER VACCINES (only if required)	Site/Route/Dose	HCP Initial
Name:	mm/dd/yy		
Name:	mm/dd/yy		
Name:	mm/dd/yy		

- Attach a copy of HEPATITIS B (HBsAb) post booster blood test results – MANDATORY

* If student is not immune to Hepatitis B after second full series, book a follow-up appointment with your HCP *

Health Care Provider (HCP) Information:

Note to HCP: Any incomplete items on this form due to medical, pregnancy, religious or other reasons, please provide a note to your patient/student to explain the reason.

HCP Name (Please Print): _____ HCP Initial: _____

HCP Signature: _____ HCP License #: _____

Profession (Please Circle): (RPN) (RN) (NP) (MD) Date: _____

Stamp of Address/Clinic: